

# EAGLE LED 11"

Architectural Outdoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	


## FEATURES

- ADA Compliant
- Energy Star Listed
- Steel Mounting Pan w/ Hi-Reflectance White Powder Coat Finish
- Luminous White Acrylic Diffuser
- Mounts Directly to 4" Junction Box (By Others)
- IES Files Available
- CSA Listed Damp Location Wall and Ceiling
- LED Light Fixture
- L70 Life time for 60,000hr
- Mounting Hardware Included



## LINE DRAWING

LINE DRAWING NOT TO SCALE



## FINISHES

Antique Copper	Antique Silver	Bronze Mist	Gloss White	Matte Silver	Sand
Swedish Steel	Textured Black	Textured Bronze	Textured White		

For RAL Colors & Custom Match - Contact Teron Lighting Inc.

# EAGLE LED 11"

Architectural Outdoor



Fixture Core

PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
EE11 - Eagle 11"	<b>L13.5-ZE420</b> - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)  <b>L17.0-ZE530</b> - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)	<b>120V</b> <b>270V</b> (50 / 60Hz)	<b>ZE</b> - 0-10V Dimming
ORDER INFO			
EE11	L13.5-ZE420	120-277V	ZE

Example ^ (may not represent a manufacturable product)

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
<b>Not Applicable</b>	<b>AC</b> - Antique Copper <b>AS</b> - Antique Silver <b>BT</b> - Bronze Mist <b>WH</b> - Gloss White (Standard) <b>SM</b> - Matte Silver <b>SN</b> - Sand <b>SW</b> - Swedish Steel  <b>TB</b> - Textured Black <b>BZ</b> - Textured Bronze <b>TW</b> - Textured White	<b>30K</b> - 3000K Color Temp <b>35K</b> - 3500K Color Temp <b>40K</b> - 4000K Color Temp <b>50K</b> - 5000K Color Temp	<b>ALP</b> - Aluminum Mount Pan w/ White Finish <b>F</b> - Fused <b>STC12-WH</b> - 12" Stem and Canopy Kit <b>STC24-WH</b> - 24" Stem and Canopy Kit <b>STC36-WH</b> - 36" Stem and Canopy Kit <b>STC48-WH</b> - 48" Stem and Canopy Kit <b>TP</b> - Tamper-Proof Screw Set <b>WLL</b> - LED High Lumen Lens <b>WPL</b> - White Polycarbonate
ORDER INFO			
Not Applicable	AC	50K	ALP

Example ^ (may not represent a manufacturable product)

PROD	SOURCE	30K SPECS	30K SPECS			
EE 11"	L13.5	<ul style="list-style-type: none"> <li>• WAL Lens</li> <li>• 80 CRI Typ.</li> <li>• 3000K Color Temp</li> <li>• 2100 LED Source Lumens</li> <li>• 155.5 LED Source Lumens Per Watt</li> <li>• 1071 Delivered LED Lumens</li> <li>• 71.6 Delivered LED Lumens Per Watt</li> </ul>	<ul style="list-style-type: none"> <li>• WLL Lens</li> <li>• 80 CRI Typ.</li> <li>• 3000K Color Temp</li> <li>• 2100 LED Source Lumens</li> <li>• 155.5 LED Source Lumens Per Watt</li> <li>• 1562 Delivered LED Lumens</li> <li>• 104.4 Delivered LED Lumens Per Watt</li> </ul>			
	LI17.0	<ul style="list-style-type: none"> <li>• WAL Lens</li> <li>• 80 CRI Typ.</li> <li>• 3000K Color Temp</li> <li>• 2650 LED Source Lumens</li> <li>• 157 LED Source Lumens Per Watt</li> <li>• 1364 Delivered LED Lumens</li> <li>• 73.2 Delivered LED Lumens Per Watt</li> </ul>	<ul style="list-style-type: none"> <li>• WLL Lens</li> <li>• 80 CRI Typ.</li> <li>• 3000K Color Temp</li> <li>• 2650 LED Source Lumens</li> <li>• 157 LED Source Lumens Per Watt</li> <li>• 2065 Delivered LED Lumens</li> <li>• 110.7 Delivered LED Lumens Per Watt</li> </ul>			

REPLACEMENT PART	PART NO	NOTES
11" White Acrylic Diffuser	3011360	
11" White Acrylic LED Diffuser	3053060	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004



TERONLIGHTING.COM  
 33 DONALD DR, FAIRFIELD, OH 45014  
 P: 513.858.6004 F: 513.858.6038  
 E: SALES@TERONLIGHT.COM



We reserve the right to revise the design components of any product due to parts availability or change in UL standards, without assuming any obligation or liability to modify any products previously manufactured, and without notice.

# EAGLE LED 11"

Architectural Outdoor



Fixture Core

PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
EE11 - Eagle 11"	L20.5-ZE640 - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)	120 - 270V (50 / 60Hz)	ZE - 0-10V Dimming
ORDER INFO			
EE	L20.5-ZE640	120-277V	ZE

Example ^ (may not represent a manufacturable product)

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable	<b>AC</b> - Antique Copper <b>AS</b> - Antique Silver <b>BT</b> - Bronze Mist <b>WH</b> - Gloss White (Standard) <b>SM</b> - Matte Silver <b>SN</b> - Sand <b>SW</b> - Swedish Steel <b>TB</b> - Textured Black <b>BZ</b> - Textured Bronze <b>TW</b> - Textured White	<b>30K</b> - 3000K Color Temp <b>35K</b> - 3500K Color Temp <b>40K</b> - 4000K Color Temp <b>50K</b> - 5000K Color Temp	<b>ALP</b> - Aluminum Mount Pan w/ White Finish <b>F</b> - Fused <b>STC12-WH</b> - 12" Stem and Canopy Kit <b>STC24-WH</b> - 24" Stem and Canopy Kit <b>STC36-WH</b> - 36" Stem and Canopy Kit <b>STC48-WH</b> - 48" Stem and Canopy Kit <b>TP</b> - Tamper-Proof Screw Set <b>WLL</b> - LED High Lumen Lens <b>WPL</b> - White Polycarbonate
ORDER INFO			
Not Applicable	AC	50K	ALP

Example ^ (may not represent a manufacturable product)

PROD	SOURCE	30K SPECS	30K SPECS			
EE 11"	L20.5	<ul style="list-style-type: none"> <li>WAL Lens</li> <li>80 CRI Typ.</li> <li>30K - 3000K Color Temp</li> <li>3100 LED Source Lumens</li> <li>151 LED Source Lumens Per Watt</li> <li>1643 Delivered LED Lumens</li> <li>68.2 Delivered LED Lumens Per Watt</li> </ul>	<ul style="list-style-type: none"> <li>WLL Lens</li> <li>80 CRI Typ.</li> <li>30K - 3000K Color Temp</li> <li>3100 LED Source Lumens</li> <li>151 LED Source Lumens Per Watt</li> <li>1643 Delivered LED Lumens</li> <li>68.2 Delivered LED Lumens Per Watt</li> </ul>			

REPLACEMENT PART	PART NO	NOTES
11" White Acrylic Diffuser	3011360	
11" White Acrylic LED Diffuser	3053060	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004



TERONLIGHTING.COM  
 33 DONALD DR, FAIRFIELD, OH 45014  
 P: 513.858.6004 F: 513.858.6038  
 E: SALES@TERONLIGHT.COM



We reserve the right to revise the design components of any product due to parts availability or change in UL standards, without assuming any obligation or liability to modify any products previously manufactured, and without notice.