

BEL-AIR M LED

Architectural Indoor




PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

FEATURES

- ADA Compliant
- Aluminum Reflective LED Mount Plate
- CSA Listed Dry Location For Wall Mounting
- Frosted White Acrylic Diffuser
- LED Light Fixture
- Mounting Hardware Included
- Mounts Directly to 4" Junction Box (By Others)
- Open Top
- Steel Mounting Pan w/ Matte Silver Powder Coat Finish
- Steel Trim w/ Matte Silver Powder Coat Finish
- Vandal Resistant

LINE DRAWING

LINE DRAWING NOT TO SCALE



FINISHES

Antique Copper




Antique Silver




Bronze Mist




Matte Silver




Sand




Swedish Steel




Textured Black



Textured Bronze



Textured White



For RAL Colors & Custom Match - Contact Teron Lighting Inc.

BEL-AIR M LED

Architectural Indoor



Fixture Core

PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
BLRM - Bel-Air M	L25.0-ZE700 - 25W @ 700mA 0-10V Dimming Driver	120 - 277V	Not Applicable
ORDER INFO			
BLRM Example ^	L25.0-ZE700	120-277V	Not Applicable

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable	AC - Antique Copper AS - Antique Silver BT - Bronze Mist SM - Matte Silver (Standard) SN - Sand SW - Swedish Steel TB - Textured Black BZ - Textured Bronze TW - Textured White	30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp	TCV - White Acrylic Top Cover TP - Tamper Resistant Screws
ORDER INFO			
Not Applicable Example ^	AC	27K	TCV

PROD	SOURCE	30K SPECS			
BLRM	L25.0	<ul style="list-style-type: none"> • 30K - 3000K Color Temp • 2734.2 LED Source Lumens • 113.9 LED Source Lumens Per Watt 			

REPLACEMENT PART	PART NO	NOTES
White Acrylic Lens	3045360	

Don't see the configuration you are looking for?
Call us today at (513) 858-6004



TERONLIGHTING.COM
 33 DONALD DR, FAIRFIELD, OH 45014
 P: 513.858.6004 F: 513.858.6038
 E: SALES@TERONLIGHT.COM



We reserve the right to revise the design components of any product due to parts availability or change in UL standards, without assuming any obligation or liability to modify any products previously manufactured, and without notice.