

# TORINO 39" LED

Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	


## FEATURES

- Steel Housing & End Caps w/ Matte Silver Powder Coat Finish
- Steel Reflector Plate w/ Powder Coat Finish
- Mounts Directly to Wall or Ceiling
- ADA Compliant
- CSA Listed Damp Location For Wall And Ceiling Mount
- White Acrylic Lense




## LINE DRAWING

LINE DRAWING NOT TO SCALE



Shown With TWC Option

## FINISHES



For RAL Colors & Custom Match - Contact Teron Lighting Inc.

# TORINO 39" LED

Architectural Indoor



Fixture Core

PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
<b>TN039</b> - Torino 27" LED	L27.2-ZE550 - 30W @ 800mA 4-Wire Dimming Driver (Dimmable 0 - 10V)	<b>120 - 277V</b> (50/60 Hz)	<b>ZE - 0 - 10V Dimming</b>
ORDER INFO			
TN039 Example ^	L20.1-ZE550	120 - 277V	Not Applicable

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
<b>TWC</b> - Twin Curves	<b>AC</b> - Antique Copper <b>AS</b> - Antique Silver <b>BN</b> - Brushed Nickel (Standard) <b>BT</b> - Bronze Mist <b>SM</b> - Matte Silver <b>SN</b> - Sand <b>SW</b> - Swedish Steel <b>TB</b> - Textured Black <b>BZ</b> - Textured Bronze <b>TW</b> - Textured White	<b>30K</b> - 3000K Color Temp <b>35K</b> - 3500K Color Temp <b>40K</b> - 4000K Color Temp <b>50K</b> - 5000K Color Temp	<b>F</b> - Fused <b>TP</b> - Tamper Resistant Screws <b>EB</b> - Emergency Backup
ORDER INFO			
TWC Example ^	AC	30K	F

PROD	SOURCE	30K SPECS			
<b>TN039</b>	L27.2	<ul style="list-style-type: none"> <li>30K - 3000K Color Temp</li> <li>2303 LED Delivered Lumens</li> <li>70.0 LED Delivered Lumens Per Watt</li> </ul>			

REPLACEMENT PART	PART NO	NOTES
White 3' Acrylic Diffuser	3032260	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004



**TERONLIGHTING.COM**  
 33 DONALD DR, FAIRFIELD, OH 45014  
 P: 513.858.6004 F: 513.858.6038  
 E: SALES@TERONLIGHT.COM



We reserve the right to revise the design components of any product due to parts availability or change in UL standards, without assuming any obligation or liability to modify any products previously manufactured, and without notice.