

# BISCAYNE N MSI LED 25"

Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	





## FEATURES

- [Internal Motion Sensor](#)
- Steel Housing and End Caps with Matte Silver Powder Coat Finish
- High Impact Frosted Acrylic Diffuser
- Steel Reflector Plate with Hi-Reflectance White Powder Coat Finish
- Mounts Directly to Wall or Ceiling with Four Wall Anchors (Not Included)
- 0-10V and Trailing Edge (ELV) Dimming Compatible Options Available
- Constant Current, Dimmable 0-10V, 25% or 50% Step Dimmable
- IES Files Available
- ADA Compliant
- CSA Listed Damp Location
- LED Light Fixture
- Vandal Resistant

## LINE DRAWING




LINE DRAWING NOT TO SCALE



## FINISHES

Antique Copper




Antique Silver




Bronze Mist



Matte Silver




Sand




Swedish Steel




Textured Black



Textured Bronze



Textured White



For RAL Colors & Custom Match - Contact Teron Lighting Inc.

# BISCAYNE N LED MSI 25"

Architectural Indoor



Fixture Core

PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING BALLAST
<b>BSCN24 - Biscayne N 25"</b>	<b>L20.1-ZE550</b> - 22W @ 550mA Constant Current Dimming Electronic Driver (Dimmable 0-10V) <b>L34.7-TE950</b> - 40W @ 950mA Constant Current ELV Dimming Electronic Driver	<b>120V</b> <b>277V</b> (50 / 60Hz)	<b>SDxx</b> - Bi-Level Step Dimming from 10-90% in increments of 10% (replace xx in ordering code with requested dimming percentage)
ORDER INFO			
BSCN24	L20.1-ZE550	120V	SD50

Example ^ (may not represent a manufacturable product)

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
<b>MSI</b> - Internal Motion Sensor (Steinel HFLUM2-WR) <b>HCB MSI</b> - Honeycomb Pattern w/ Internal Motion Sensor <b>DMD MSI</b> - Diamond Pattern w/ Internal Motion Sensor <b>PRF MSI</b> - Perforated Pattern w/ Internal Motion Sensor	<b>AC</b> - Antique Copper <b>AS</b> - Antique Silver <b>BT</b> - Bronze Mist <b>SM</b> - Matte Silver (Standard) <b>SN</b> - Sand <b>SW</b> - Swedish Steel <b>TB</b> - Textured Black <b>BZ</b> - Textured Bronze <b>TW</b> - Textured White	<b>27K</b> - 2700K Color Temp. <b>30K</b> - 3000K Color Temp. <b>35K</b> - 3500K Color Temp. <b>40K</b> - 4000K Color Temp. <b>51K</b> - 5100K Color Temp.	<b>FAL</b> - Frosted Acrylic Lens (Standard) <b>WAL</b> - Frosted & White Acrylic Lens Assembly <b>EB</b> - BSL310 Emergency Driver <b>TP</b> - Tamper Resistant Screws <b>F</b> - Fused
ORDER INFO			
MSI	SM	35K	FAL-WAL

Example ^ (may not represent a manufacturable product)

PROD	SOURCE	27K SPECS	30K SPECS	35K SPECS	40K SPECS	51K SPECS
<b>BSCN24</b>	L20.1-ZE550	<ul style="list-style-type: none"> <li>27K - 2700K Color Temp. Nominal</li> <li>1776 Estimated Delivered Lumens</li> <li>24.57 Estimated Delivered Lumens Per Watt</li> </ul>	<ul style="list-style-type: none"> <li>30K - 3000K Color Temp. Nominal</li> <li>1809 Estimated Delivered Lumens</li> <li>24.57 Estimated Delivered Lumens Per Watt</li> </ul>	<ul style="list-style-type: none"> <li>35K - 3500K Color Temp. Nominal</li> <li>1842 Estimated Delivered Lumens</li> <li>24.57 Estimated Delivered Lumens Per Watt</li> </ul>	<ul style="list-style-type: none"> <li>40K - 4000K Color Temp. Nominal</li> <li>1908 Estimated Delivered Lumens</li> <li>24.57 Estimated Delivered Lumens Per Watt</li> </ul>	<ul style="list-style-type: none"> <li>50K - 5000K Color Temp. Nominal</li> <li>1973 Estimated Delivered Lumens</li> <li>24.57 Estimated Delivered Lumens Per Watt</li> </ul>

REPLACEMENT PART	PART NO	NOTES
Frosted 2' Acrylic Diffuser White 2' Acrylic Lens Assembly	3029662 38112	*Don't see the configuration you are looking for? Call us today at (513) 858-6004



**TERONLIGHTING.COM**  
 33 DONALD DR, FAIRFIELD, OH 45014  
 P: 513.858.6004 F: 513.858.6038  
 E: SALES@TERONLIGHT.COM



We reserve the right to revise the design components of any product due to parts availability or change in UL standards, without assuming any obligation or liability to modify any products previously manufactured, and without notice.

# BISCAYNE N MSI LED 25"

Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	



Biscayne N DMD  
MSI



Biscayne N HCB MSI



Biscayne N PRF MSI