

HOLLYWOOD PARK LARGE 19"


Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	


FEATURES

- CSA Listed Damp Location Wall and Ceiling
- LED Light Fixture
- Luminous Fabric Diffuser
- Mounts Directly to 4" Junction Box (By Others)
- Mounting Hardware Included
- Steel Mounting Pan w/ Hi-Reflectance White Powder Coat Finish



LINE DRAWING

LINE DRAWING NOT TO SCALE



FINISHES

Bleached Linen




Cream Linen




Espresso Linen



Platinum Linen



Textured Eggshell



For RAL Colors & Custom Match - Contact Teron Lighting Inc.

HOLLYWOOD PARK LARGE 19"

Architectural Indoor



Fixture Core

PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
HPKL - Hollywood Park Large	L17.0-ZE530 - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V) L20.5-ZE640 - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)	120-277V (50 / 60Hz)	Not Applicable
ORDER INFO			
HPKL Example ^	L17.0-ZE530	120-277V	Not Applicable

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable	BLF - Bleached Linen Fabric CLF - Cream Linen Fabric TEF - Textured Eggshell Fabric ESF - Espresso Linen Fabric PLF - Platinum Linen Fabric	30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp 50K - 5000K Color Temp	ALP - Aluminum Mount Pan w/ White Finish EB/BB - Bodine BSL26 - Up to 5.1W Emergency Illumination w/ LEDs (Back Box Required)** LC - Laminate Coating (See Notes Below) STC12-WH - 12" Stem and Canopy Kit STC24-WH - 24" Stem and Canopy Kit STC36-WH - 36" Stem and Canopy Kit
ORDER INFO			
Not Applicable Example ^	BLF	50K	ALP

PROD	SOURCE	30K SPECS	30K SPECS			
HPKL	L17.0	<ul style="list-style-type: none"> 80 CRI Typ. 30K - 3000K Color Tem 2650 LED Source Lumens 157 LED Source Lumens Per Watt 1364 Delivered LED Lumens 73.2 Delivered LED Lumens Per Watt 				
	L20.5	<ul style="list-style-type: none"> 80 CRI Typ. 30K - 3000K Color Tem 3100 LED Source Lumens 151 Source Lumens Per Watt 1643 Delivered LED Lumens 68.2 Delivered LED Lumens Per Watt 				

REPLACEMENT PART	PART NO	NOTES
19" Platinum Linen	3042990	* Laminate Coating allows Lens to be easily wiped down with damp cloth. Not applicable to Textured Eggshell as it comes standard with Laminate Coating.
19" Textured Eggshell Linen	3042986	
19" Espresso Linen	3042987	
19" Cream Linen	3042991	
19" Bleached Linen	3042989	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004



TERONLIGHTING.COM
 33 DONALD DR, FAIRFIELD, OH 45014
 P: 513.858.6004 F: 513.858.6038
 E: SALES@TERONLIGHT.COM



We reserve the right to revise the design components of any product due to parts availability or change in UL standards, without assuming any obligation or liability to modify any products previously manufactured, and without notice.

HOLLYWOOD PARK LARGE 19"

Architectural Indoor



Fixture Core

PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
HPKL - Hollywood Park Large	L30.0-ZE1000 - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V) L37.5-ZE1050 - (120) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)	120-270V (50 / 60Hz)	Not Applicable
ORDER INFO			
HPKL Example ^	L30.0-ZE1000	120-277V	Not Applicable

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable	BLF - Bleached Linen Fabric CLF - Cream Linen Fabric TEF - Textured Eggshell Fabric ESF - Espresso Linen Fabric PLF - Platinum Linen Fabric	30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp 50K - 5000K Color Temp	ALP - Aluminum Mount Pan w/ White Finish EB/BB - Bodine BSL26 - Up to 5.1W Emergency Illumination w/ LEDs (Back Box Required)** LC - Laminate Coating (See Notes Below) STC12-WH - 12" Stem and Canopy Kit STC24-WH - 24" Stem and Canopy Kit STC36-WH - 36" Stem and Canopy Kit
ORDER INFO			
Not Applicable Example ^	BLF	30K	ALP

PROD	SOURCE	30K SPECS				
HPKL	L30.0	<ul style="list-style-type: none"> 80 CRI Typ. 30K - 3000K Color Tem 4522 LED Source Lumens 134 LED Source Lumens Per Watt 				
	L37.5	<ul style="list-style-type: none"> 80 CRI Typ. 30K - 3000K Color Tem 4845 LED Source Lumens 135.4 LED Source Lumens Per Watt 				

REPLACEMENT PART	PART NO	NOTES
19" Platinum Linen	3042990	* Laminate Coating allows Lens to be easily wiped down with damp cloth. Not applicable to Textured Eggshell as it comes standard with Laminate Coating.
19" Textured Eggshell Linen	3042986	
19" Espresso Linen	3042987	
19" Cream Linen	3042991	
19" Bleached Linen	3042989	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004



TERONLIGHTING.COM
 33 DONALD DR, FAIRFIELD, OH 45014
 P: 513.858.6004 F: 513.858.6038
 E: SALES@TERONLIGHT.COM



We reserve the right to revise the design components of any product due to parts availability or change in UL standards, without assuming any obligation or liability to modify any products previously manufactured, and without notice.