Architectural Indoor


Ę	(I)	LED	Ţ

PROJECT:		
TYPE:		
PO#:	QTY:	
COMMENTS:		


FEATURES

- ADA Compliant
- Centered Over and Mounted to 4" J-Box (By Others)
- CSA Listed Damp or Dry Location For Wall Mount
- Dimmable to 10%
- Driver Mounts to The Rear of The Fixture Inside Junction Box
- Luminous White Acrylic Diffuser
- Mounting Hardware Included
- Open Top and Bottom
- Painted Steel Mounting Plate Mounts to Flat Surface
- Steel Fascia with Matte Silver Powder Coat Finish
- Steel Mounting Plate Mounts to Flat Surface

LINE DRAWING



FINISHES



Black



Antique

Silver



Bronze





Sand





White

For RAL Colors & Custom Match -**Contact Teron** Lighting Inc.





Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

Fixture Core

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
TGC - Tiger Cub	1L4.0-ZE100 - 4W Single LED Strip @ 100mA Low Voltage 4-Wire Dimming Electronic Driver 2L4.0-ZE100 - 4W Double LED Strip @ 100mA Low Voltage 4-Wire Dimming Electronic Driver		ZE - 0-10V Dimming
ORDER INFO			
TGC Example ^	L4.0-ZE100	120-277V	ZE

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
FRL ORDER INFO	AC - Antique Copper AS - Antique Silver BT - Bronze Mist SM - Matte Silver (Standard) SN - Sand SW - Swedish Steel TB - Texture Black BZ - Texture Bronze TW - Texture White	35K - 3500K Color Temp 40K - 4000K Color Temp	TBC - Perforated Steel Top & Bottom Covers TCV - Perforated Steel Top Cover

Example ^

PROD	SOURCE	30K SPECS		
TGC	L4.0	30K - 3000K Color Temp 1870 LED Source Lumens 467 LED Source Lumens Per Watt		

REPLACEMENT PART	PART NO	NOTES
White Acrylic Lens	38224	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004



Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

Fixture Core

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
TGC - Tiger Cub	2L7.0-ZE175 - 7W Dual LED Strip @ 175mA Low Voltage 4-Wire Dimming Electronic Driver 2L10.0-ZE250 - 10W Dual LED Strip @ 100mA Low Voltage 4-Wire Dimming Electronic Driver		ZE - 0-10V Dimming
ORDER INFO	-		
TGC	2L7.0-ZE175	120-277V	ZE
Example ^			

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
FRL ORDER INFO	AC - Antique Copper AS - Antique Silver BT - Bronze Mist SM - Matte Silver (Standard) SN - Sand SW - Swedish Steel TB - Textured Black BZ - Textured Bronze TW - Textured White	30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp 50K - 5000K Color Temp	TBC - Perforated Steel Top & Bottom Covers TCV - Perforated Steel Top Cover

Example ^

PROD	SOURCE	30K SPECS	
TGC	L7.0	30K - 3000K Color Temp 1006 LED Source Lumens 143.7 LED Source Lumens Per Watt	
	L10.0	30K - 3000K Color Temp 1296 LED Source Lumens 129.6 LED Source Lumens Per Watt	

REPLACEMENT PART	PART NO	NOTES
White Acrylic Lens	38224	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004



Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

Fixture Core

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER	
TGC - Tiger Cub	2L14.0-ZE350 - 14W Dual LED Strip @ 350mA Low Voltage 4-Wire Dimming Electronic Driver	120-277V	ZE - 0-10V Dimming	
ORDER INFO				
TGC Example ^	2L14.0-ZE350	120-277V	ZE	

Aesthetics & Options

Example ^

PROD	SOURCE	30K SPECS		
TGC	L14.0	30K SPECS • 30K - 3000K Color Temp • 1870 LED Source Lumens • 133.5 LED Source Lumens Per Watt		

REPLACEMENT PART	PART NO	NOTES
White Acrylic Lens	38224	
		Don't see the configuration you are looking for? Call us today at (513) 858-6004

