HOLLYWOOD PARK LARGE 19"

Architectural Indoor











PROJECT: TYPE: PO#: QTY: COMMENTS:


FEATURES

- CSA Listed Damp Location Wall and Ceiling
- LED Light Fixture
- Luminous Fabric Diffuser
- Mounting Hardware Included
- Mounts Directly to 4" Junction Box (By Others)
- Steel Mounting Pan w/ Hi-Reflectance White Powder Coat Finish





SHOWN WITH BACK BOX





FINISHES

Bleached Linen









Platinum



Textured



For RAL Colors & Custom Match -**Contact Teron** Lighting Inc.





HOLLYWOOD PARK LARGE 19"

Architectural Indoor





Fixture Core				
PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER	
HPKL - Hollywood Park Large	L16.3-ZE560 - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)	120-277V (50 / 60Hz)	Not Applicable	
ORDER INFO	L21.0-ZE700 - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)			

PROJECT: TYPE: PO#:

COMMENTS:

Example

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable ORDER INFO	BLF - Bleached Linen Fabric CLF - Cream Linen Fabric TEF - Textured Eggshell Fabric ESF - Espresso Linen Fabric PLF - Platinum Linen Fabric	30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp	ALP - Aluminum Mount Pan w/ White Finish EB/BB - Bodine BSL26 - Up to 5.1W Emergency Illumination w/ LEDs (Back Box Required)** LC- Laminate Coating (See Notes Below) STC12-WH - 12" Stem and Canopy Kit STC24-WH - 24" Stem and Canopy Kit STC36-WH - 36" Stem and Canopy Kit
Not Applicable	BLF	27K	ALP

PROD	SOURCE	30K SPECS	30K SPECS
НРКІ	L16.3	80 CRI Typ. 30K - 3000K Color Tem 2110 LED Source Lumens 103 LED Source Lumens Per Watt 1364 Delivered LED Lumens 73.2 Delivered LED Lumens Per Watt	
	L21.0	80 CRI Typ. 30K - 3000K Color Tem 105 LED Source Lumens Per Watt 1643 Delivered LED Lumens 68.2 Delivered LED Lumens Per Watt	

19" Platinum Linen

19" Textured Eggshell Linen

19" Espresso Linen 19" Cream Linen

19" Bleached Linen

3042990 3042986 3042987 3042991 3042989

NOTES

* Laminate Coating allows Lens to be easily wiped down with damp cloth. Not applicable to Textured Eggshell as it comes standard with Laminate Coating.

Don't see the configuration you are looking for? Call us today at (513) 858-6004

QTY:





HOLLYWOOD PARK LARGE 19"

Architectural Indoor



PROJECT:	
TYPE:	
PO#:	QTY:
COMMENTS:	

Fixture Core

PRODUCT CODE	SOURCE/WATTAGE	VOLTAGE	DIMMING DRIVER
HPKL - Hollywood Park Large	L30.0-ZE1000 - (80) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V) L37.5-ZE1050 - (120) LED Array @ Line Voltage 4-Wire Dimming Driver (Dimmable 0 - 10V)	120-270V (50 / 60Hz)	Not Applicable
ORDER INFO			
HPKL	L30.0-ZE1000	120-277V	Not Applicable
Example ^			

Aesthetics & Options

TRIM	FINISH	COLOR TEMP	OPTIONS
Not Applicable ORDER INFO	BLF - Bleached Linen Fabric CLF - Cream Linen Fabric TEF - Textured Eggshell Fabric ESF - Espresso Linen Fabric PLF - Platinum Linen Fabric	30K - 3000K Color Temp 35K - 3500K Color Temp 40K - 4000K Color Temp	ALP - Aluminum Mount Pan w/ White Finish EB/BB - Bodine BSL26 - Up to 5.1W Emergency Illumination w/ LEDs (Back Box Required)** LC- Laminate Coating (See Notes Below) STC12-WH - 12" Stem and Canopy Kit STC24-WH - 24" Stem and Canopy Kit STC36-WH - 36" Stem and Canopy Kit
ONDER INI O		+	
Not Applicable	BLF	27K	ALP

PROD	SOURCE	30K SPECS		
НРКІ	L30.0	80 CRI Typ. 30K - 3000K Color Tem 4522 LED Source Lumens 134 LED Source Lumens Per Watt		
	L37.5	80 CRI Typ. 30K - 300K Color Tem 4845 LED Source Lumens 135.4 LED Source Lumens Per Watt		

REPLACEMENT PART	PART NO	NOTES	
19" Platinum Linen 19" Textured Eggshell Linen 19" Espresso Linen 19" Cream Linen 19" Bleached Linen	3042990 3042986 3042987 3042991 3042989	* Laminate Coating allows Lens to be easily wiped down with damp cloth. Not applicable to Textured Eggshell as it comes standard with Laminate Coating.	Don't see the configuration you are looking for? Call us today at (513) 858-6004



TERONLIGHTING.COM

33 DONALD DR, FAIRFIELD, OH 45014
P: 513.858.6004
F: 513.858.6038
E: SALES@TERONLIGHT.COM

